

All Match Grade HIT Collars and Match Grade Halfouts Utilize 5/16 field points

If you are using Easton's Match Grade components (HIT collars, halfouts) then your compatible field points for those components will be the 5/16" size.

5.0 Match Grade

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar	5mm Halfout
200	9/32	4	4	2
250	9/32	3	3	2
300	17/64	2	2	2
340	17/64	1	1	1
400	17/64	0.5	0.5	1
500	17/64	0.5	0.5	1

5.0 Carbon

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar	5mm Halfout
200	9/32	4	4	2
250	9/32	3	3	2
300	17/64	2	2	2
340	17/64	1	1	1
400	17/64	0.5	0.5	1
500	17/64	0.5	0.5	1

FMJ MAX Match Grade

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar	5mm Halfout
200	9/32	5	5	2
250	9/32	3	3	2
300	17/64	2	2	2
340	17/64	1.5	1.5	1
400	17/64	1	1	1

FMJ MAX

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar	5mm Halfout
--------------	-------------------------------	----------------------------	-------------------	--------------------

200	9/32	5	5	2
250	9/32	3	3	2
300	17/64	2	2	2
340	17/64	1.5	1.5	1
400	17/64	1	1	1

4mm FMJ Match Grade

Spine	Shaft Field Point Size	Match Grade Halfout	Nock Collar
250	5/16	5	8
300	5/16	4	7
340	5/16	3	6
400	5/16	2	5

4mm FMJ

Spine	Shaft Field Point Size	Match Grade Halfout	Nock Collar
250	5/16	5	8
300	5/16	4	7
340	5/16	3	6
400	5/16	2	5

5mm FMJ Match Grade

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar
250 DG	19/64	NA	NA
250	9/32	2	3
300	9/32	2	4
340	9/32	2	3
400	17/64	2	2
500	17/64	1	1

5mm FMJ

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar
250 DG	19/64	NA	NA

250	9/32	2	3
300	9/32	2	4
340	9/32	2	3
400	17/64	2	2
500	17/64	1	1

5mm FMJ Autumn Orange

Spine	Shaft Field Point Size	Halfout
250	9/32	2
300	9/32	2
340	9/32	2
400	17/64	2

4mm Axis Match Grade/4mm Axis Long range Match Grade

Spine	Shaft Field Point Size	Match Grade Halfout/Halfout	Nock Collar
250	5/16	4	7
300	5/16	3	6
340	5/16	2	5
400	5/16	1	4

4mm Axis/4mm Axis Long range

Spine	Shaft Field Point Size	Match Grade Halfout/Halfout	Nock Collar
250	5/16	4	7
300	5/16	3	6
340	5/16	2	5
400	5/16	1	4

5mm Axis

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar	5mm Halfout
200	9/32	6	6	2
260	9/32	5	5	2
300	9/32	4	4	2

340	9/32	2.5	2.5	2
400	17/64	2	2	2
500	17/64	1	1	1
600	17/64	0.5	0.5	1

5mm Axis Match Grade

Spine	Shaft Field Point Size	Match Grade Halfout	HIT Collar	5mm Halfout
200	9/32	6	6	2
260	9/32	5	5	2
300	9/32	4	4	2
340	9/32	2.5	2.5	2
400	17/64	2	2	2
500	17/64	1	1	1
600	17/64	0.5	0.5	1

5mm Axis Sport

Spine	Shaft Field Point Size	5mm Halfout
260	5/16	2
300	5/16	2
340	5/16	2
400	5/16	2
500	5/16	1
600	5/16	1

Sonic 6.0

Spine	Shaft Field Point Size	ST Insert	HP Insert
250	9/32	2	4
300	9/32	2	4
340	9/32	2	3
400	17/64	1	2
500	17/64	1	2
600	17/64	1	2

Sonic 6.0 Match Grade

Spine	Shaft Field Point Size	ST Insert	HP Insert
250	9/32	2	4
300	9/32	2	4
340	9/32	2	3
400	17/64	1	2
500	17/64	1	2
600	17/64	1	2

6.5mm Bowhunter

Spine	Shaft Field Point Size
250	5/16
300	5/16
340	5/16
400	19/64
500	19/64

6.5mm Hunter Classic

Spine	Shaft Field Point Size
250	5/16
300	5/16
340	5/16
400	19/64
500	19/64

6.5mm Match Grade

Spine	Shaft Field Point Size
250	5/16
300	5/16
340	5/16
400	19/64

500	19/64
-----	-------

6.5mm Junior

Spine	Shaft Field Point Size
250	5/16
300	5/16
340	5/16
400	19/64
500	19/64

6.5mm Whiteout

Spine	Shaft Field Point Size
300	5/16
340	5/16
400	5/16
500	5/16

Carbon Legacy

Spine	Shaft Field Point Size
340	5/16
400	19/64
500	19/64
600	19/64
700	19/64

Carbon Legacy 5mm Fred Eichler

Spine	Shaft Field Point Size	5mm Halfout
340	9/32	2
400	17/64	2
500	17/64	1
600	17/64	1
700	17/64	1

4mm X10 Parallel Pro

Spine	Halfout/Match Grade Halfout	4mm Nock Collar
250	4	7
300	2	5
340	1	4
380	1	4

